

Lulif[®] Cream

Luliconazole 1%

COMPOSITION:

Lulif[®] Cream: Each gram cream contains Luliconazole INN 10 mg.

PHARMACOLOGY:

Luliconazole is a broad-spectrum azole antifungal that acts by inhibiting the enzyme lanosterol demethylase and blocks ergosterol synthesis which is an important component of fungal cell membrane. Thus, it exerts strong fungicidal activity both in-vitro and in-vivo against dermatophytes, *Candida albicans*, *Malassezia*, *Trichophyton* & *Epidermophyton* spp.

INDICATION:

Luliconazole is indicated for the topical treatment of interdigital *Tinea pedis*, *Tinea cruris*, and *Tinea corporis* caused by the organisms *Trichophyton rubrum* and *Epidermophyton floccosum*.

DOSE & ADMINISTRATION:

Tinea pedis: A thin layer of Lulif[®] Cream 1% should be applied to the affected area and approximately 1 inch of the immediate surrounding area once daily for 2 weeks.

Tinea cruris or *Tinea corporis*: Lulif[®] Cream 1% should be applied to the affected area and approximately 1 inch of the immediate surrounding area once daily for 1 week.

CONTRA-INDICATION:

No data is available.

WARNING AND PRECAUTION:

Luliconazole is recommended for topical use only. It is not intended for ophthalmic, oral or intravaginal use.

SIDE EFFECTS:

Contact dermatitis and cellulitis may occur. Application site reactions were observed in less than 1% of subjects in clinical trial.

USE IN PREGNANCY & LACTATION:

Pregnancy: Pregnancy category C. There are no adequate and well-controlled studies in pregnant women. Luliconazole should be used during pregnancy only if the potential benefit justifies the potential risk to the fetus.

Lactation: It is not known whether Luliconazole is excreted in human milk. Because many drugs are excreted in human milk, caution should be exercised when Luliconazole cream is applied to women who are breast feeding.

USE IN CHILDREN & ADOLESCENTS:

The safety and effectiveness of Lulif[®] Cream 1% in pediatric patients have not been established. The number of pediatric patients ≥ 12 years of age were too small to adequately assess safety and efficacy.

DRUG INTERACTION:

No data is available.

OVERDOSE:

No data is available.

STORAGE:

Store in a dry and cool place below 30^o C temperature and keep away from light and moisture. Keep out of reach of children.

PACKING:

Lulif[®] Cream: Each box contains 10 gm cream in a tube.



Manufactured by

Team Pharmaceuticals Ltd.

B 75-79, BSCIC, Rajshahi, Bangladesh

IST-0065